GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department -Inclusion of additional ayacut and providing required additional Distributory system and sluices to Right Main Canal covered under EPC Package-I of Sardar Gouthu Latchanna Thotapallli Barrage Project of Vizianagaram District– Recommendations of State Level Standing Committee- Approved-Orders - Issued.

WATER RESOURCES (Proj.I.A1) DEPARTMENT

G.O.Ms.No.01 **Dated:05-01-2017**
Read the following:-

From the CE, North Coast, Visakhapatnam, Lr No.CE/NC /VSP/ DEE3/AE2/TBP/EPC-I/Vol.28/1/Dt:16.05.2015, 01-08-2015, 22-11-2015 and 24-08-2016.

***

ORDER:

In the reference read above, the Chief Engineer, North Coast has submitted that the work "Formation of Left Earth dam from KM 0.00 to KM 4.10 including Left head sluice, formation of new State highway and fabrication & erection of Spillway radial gates, embedded parts, stop log elements with Gantry crane and excavation of Right Main canal and its distributory system to serve 9,300 ACs inclusive of construction of CM&CD works from KM 0.00 to KM 48.880/Km.52.450 including Investigation, Designs, Preparation of estimates and maintenance for Two years" was technically sanctioned for Rs.126.63 Crores and was entrusted to M/s ITD Cementation India Limited, Mumbai vide agreement No.4-SE/TTPRC/VZM/2004-05/ Dt.25.10.2004 for Rs.119.8782 Crores. The agency has achieved progress up to 62.597% and stopped the work in the month of 07/2010. The above work was deleted under clause 61 of PS to APSS as per Government orders and balance work has been entrusted to a new agency i.e., M/s UAN MAX Infra Limited–M/s Prasad & Co., (Project Works) Limited (JV), Hyderabad for Rs.109.88/-crores vide agreement Dt 31.08.2012. The work is in progress. Further Government in G.O.Ms.No. 44, dated. 09-03-2006 issued orders for inclusion of 14400 Acres in the upper reaches.

2. The agency has proposed ayacut under Distributary system as Dry ayacut for 7765 Acres and Wet Ayacut for 6378 Acres (50% supplementation of 12,756 Acres deleting 309 Acres as it is located away from distributary network) and considered the distributary system to serve the total ayacut of 14143 Acres to release water for irrigation. It is proposed to provide 50% supplementation from the right main canal to the wet ayacut and the balance requirement to be met from the existing irrigation sources. The proposals were submitted for ayacut under the distributory system as dry ayacut of **7765** acres and Wet Ayacut of **12756** acres.

3. The proposals are placed before the State Level Standing Committee along with two typical estimates prepared for arriving at the cost per acre for the distributory system. The rate per acre for exclusively dry ayacut is worked out as Rs.10,500/- and rate per acre for wet ayacut is worked out as 50% cost of Rs.9,000/- per Acres. The cost of deletion of 1535 Acres of dry and additional cost for inclusion of 12756 Acres of wet is worked out as detailed below.

- Total amount to be deducted due to deletion of 1535 Acres dry ayacut is assessed as Rs.1,80,19,248/- with tender premium of (+) 4.73%.
- The additional cost to be paid to the agency for the 50% supplementation to the wet ayacut of 12,756 Acres is assessed as Rs.6,37,84,259/- with tender premium of (+) 4.73% .

PTO

4. The State Level Standing Committee in its meeting dated. 20-08-2016 discussed and recommended the above proposal of the Chief Engineer, North Coast, Visakhapatnam. Based on the recommendations of State Level Standing Committee, the Chief Engineer, North Coast has therefore requested the Government to issue necessary approval for the proposal and to entrust the work as an additional item to the same agency and to communicate necessary orders to enable to take further necessary action in the matter.

5. Government after careful consideration hereby accord approval to the recommendations of the State Level Standing Committee as stated in Para (3) read with Para (4) above subject to obtaining re-revised Administrative Sanction at later stage including the increased components if required and also ensuring that payments should be made as per Agreement conditions and no excess payment is made to the Agency.

6. The Chief Engineer, North Coast, Visakhapatnam shall take necessary action in the matter accordingly.

7. This order issues with the concurrence of Finance (FMU-WR II) Department vide their U.O.No. 48022/418/FMU-WR.II/16, Dt.03-11-2016.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To
The Chief Engineer, North Coast, Visakhapatnam

Copy To:

The Pay & Accounts Office, A.P, Ibrahimpatnam, Vijayawada
The Director of Works & Accounts, Vijayawada
The Finance (FMU-WR II) Deptt.
P.S to Minister (WRD)
P.S to Secretary (WRD)
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER